

Statistics

- 1) The table below shows the area of several states.

State	Area (thousands of square miles)
Connecticut	6
Georgia	59
Maryland	12
Massachusetts	11
New Hampshire	9
New York	54
North Carolina	54
Pennsylvania	46

Delaware has an area of 2000 square miles. Which is true if Delaware is included in the data set?

- A. The mean increases.
 B. The range decreases.
 C. The interquartile range decreases.
 D. The standard deviation increases.

- 3) The table below shows the shoe size and age of 7 boys.

Name	Shoe Size (x)	Age (y)
Tyrone	6	9
Marcel	6	11
Patrick	7	15
Bobby	8	11
Dylan	9	15
Mike	10	16
Jonathan	12	17

Approximately what percent of the boys' ages is more than 1 year different from the age predicted by the line of best fit for the data?


- A. 14%
 B. 29%
 C. 43%
 D. 57%
- 5) An elevator can hold a maximum of 1,500 pounds. Eight people need to use the elevator. Bill has some measures from the data set of how much each person weighed. Which measure would be most useful to determine if the people can safely use the elevator?
- A. Mean
 B. Median
 C. Mode
 D. Interquartile Range

- 2) The number of points scored by a basketball player in the first eight games of a season are shown below.

15, 35, 18, 30, 25, 21, 32, 16

What would happen to the data distribution if she scored 24, 22, 27, and 28 points in her next four games?

- A. The data distribution would become less peaked and more widely spread.
 B. The data distribution would become less peaked and less widely spread.
 C. The data distribution would become more peaked and less widely spread.
 D. The data distribution would become more peaked and more widely spread.
- 4) The scatterplot below shows the number of arithmetic errors 10 students made on a quiz and the amount of time the students took to finish the quiz.




Which describes the relationship between the number of arithmetic errors the students made and the amount of time the student took to complete the quiz?

- A. There is a strong positive relationship between the variables.
 B. There is a strong negative relationship between the variables.
 C. There is a weak positive relationship between the variables.
 D. There is a weak negative relationship between the variables.


Linear



6) Jessie's bus ride to school is 5 minutes more than $\frac{2}{3}$ the time of Robert's bus ride. Which graph shows the possible times of Jessie's and Robert's bus rides?



8) Suppose that the function $F(x) = 2x + 12$ represents the cost to rent x movies a month from an internet movie club. Makayla, now has \$10. How many more dollars does Makayla need to rent 7 movies next month?



10) Dennis compared the y -intercept of the graph of the function $f(x) = 3x + 5$ to the y -intercept of the graph of the linear function that includes the points in the table.


x	$g(x)$
-7	2
-5	3
-3	4
-1	5

What is the difference when the y -intercept of $f(x)$ is subtracted from the y -intercept of $g(x)$?

- A. -11.0
- B. -9.3
- C. 0.5
- D. 5.5



7) What scenario could be modeled by the graph below?



- A. The number of pounds of apples, y , minus two times the number of pounds of oranges, x , is at most 5.
- B. The number of pounds of apples, y , minus half the number of pounds of oranges, x , is at most 5.
- C. The number of pounds of apples, y , plus two times the number of pounds of oranges, x , is at most 5.
- D. The number of pounds of apples, y , plus half the number of pounds of oranges, x , is at most 5.


9) The table below shows the distance a car has traveled.

Minutes	25	50	75	100	125
Distance Traveled (in miles)	20	40	60	80	100

What is the meaning of the slope of the linear model for the data?

- A. The car travels 5 miles every minute.
- B. The car travels 4 miles every minute.
- C. The car travels 4 miles every 5 minutes.
- D. The car travels 5 miles every 4 minutes.

11) Mario compared the slope of the function graphed to the slope of the linear function that has an x -intercept of $\frac{4}{3}$ and a y -intercept of -2.



What is the slope of the function with the smaller slope?

- A. $\frac{1}{5}$
- B. $\frac{1}{3}$
- C. 3
- D. 5

- 12) The table shows the average weight of a type of plankton after several weeks.

Time (weeks)	Weight (ounces)
8	0.04
9	0.07
10	0.14
11	0.25
12	0.49

What is the average rate of change in weight of the plankton from week 8 to week 12?

- A. 0.0265 ounce per week
- B. 0.0375 ounce per week
- C. 0.055 ounce per week
- D. 0.1125 ounce per week

- 13) The boiling point of water, T (measured in degrees) at altitude, a (measured in feet) is modeled by the function $T(a) = -0.0018a + 212$. In terms of altitude and temperature, which statement describes the meaning of the slope?

- A. The boiling point increases by 18 degrees as the altitude increases by 1,000 feet.
- B. The boiling point increases by 1.8 degrees as the altitude increases by 1,000 feet.
- C. The boiling point decreases by 18 degrees as the altitude increases by 1,000 feet.
- D. The boiling point decreases by 1.8 degrees as the altitude increases by 1,000 feet.

- 14) The table below shows the cost of a pizza based on the number of toppings.

Number of Toppings (n)	Cost (C)
1	\$12
2	\$13.50
3	\$15
4	\$16.50

Which function represents the cost of a pizza with n toppings?

- A. $C(n) = 12 + 1.5(n-1)$
- B. $C(n) = 1.5n + 12$
- C. $C(n) = 12 + n$
- D. $C(n) = 12n$

- 15) Cell phone company Y charges a \$10 start-up fee plus \$0.10 per minutes, x . Cell phone company Z charges \$0.20 per minute, x with no start-up fee. Which function represents the difference in cost between Company Y and Company Z?

- A. $f(x) = -0.10x - 10$
- B. $f(x) = -0.10x + 10$
- C. $f(x) = 10x - 0.10$
- D. $f(x) = 10x + 0.10$

- 16) There were originally 4 trees in an orchard. Each year the owner planted the same number of trees. In the 29th year, there were 178 trees in the orchard. Which function, $t(n)$, can be used to determine the number of trees in the orchard in any year, n ?

- A. $t(n) = \frac{178}{29}n + 4$
- B. $t(n) = \frac{178}{29}n - 4$
- C. $t(n) = 6n + 4$
- D. $t(n) = 29n - 4$

- 17) The sequence below shows the total number of days Francisco has used his gym membership at the end of the weeks 1, 2, 3, and 4.

4, 9, 14, 19, ...

Assuming the pattern continued, which function could be used to find the total number of days Francisco used this gym membership at the end of week n ?

- A. $f(n) = n + 5$
- B. $f(n) = 5n - 1$
- C. $f(n) = 5n + 4$
- D. $f(n) = n^2$


- 18) Collin noticed that various combinations of nickels and dimes could add up to \$0.65. Let x equal the number of nickels and let y equal the number of dimes. What is the domain where y is a function of x and the total value is \$0.65?

- A. $\{0,1,2,3,4,5,6,7,8,9,10,11,12,13\}$
- B. $\{1,2,3,4,5,6,7,8,9,10,11,12,13\}$
- C. $\{0,1,3,5,7,9,11,13\}$
- D. $\{1,3,5,7,9,11,13\}$


Systems of Equations



- 19) Two boys, Shawn and Curtis, went for a walk. Shawn began walking 20 seconds earlier than Curtis. Shawn walked at a speed of 5 feet per second and Curtis walked at a speed of 6 feet per second. For how many seconds had Shawn been walking at the moment when the two boys had walked exactly the same distance?




- 20) The math club sells candy bars and drinks during football games. Sixty candy bars and 110 drinks will sell for \$265 while 120 candy bars and 90 drinks will sell for \$270. How much does each candy bar sell for? (Note: express the answer in dollars.cents)






21) Katie and Jennifer are playing a game. Katie and Jennifer each started with 100 points. At the end of each turn, Katie's points doubled. At the end of each turn, Jennifer's points increased by 200. At the start of which turn will Katie first have more points than Jennifer?



22) Two times Antonio's age plus three times Sarah's age equals 34. Sarah's age is also five times Antonio's age. How old is Sarah?



23) Lucy and Barbara began saving money the same week. The table below shows models for the amount of money Lucy and Barbara had saved after x weeks.

Lucy's Savings	$f(x) = 10x + 5$
Barbara's Savings	$g(x) = 7.5x + 25$

After how many weeks will Lucy and Barbara have the same amount of money saved?

- A. 1.1 weeks
- B. 1.7 weeks
- C. 8 weeks
- D. 12 weeks

Exponential

24) Monica did an experiment to compare two methods of warming an object. The results are shown in the table below.

Time (Hours)	Method 1 Temperature ($^{\circ}$ F)	Method 2 Temperature ($^{\circ}$ F)
0	0	1.5
1	5	3
2	11	6
3	15	12
4	19	24
5	25	48

Which statement best describes her results?

- A. The temperature using both methods changed at a constant rate.
- B. The temperature using both methods changed exponentially.
- C. The temperature using Method 2 changed at constant rate.
- D. The temperature using Method 2 changed exponentially.

25) The value of an antique car is modeled by the function $V(x) = 170000(1.009)^x$ where x is the number of years since 2005. By what approximate percent rate is the value of the car increasing per year?

- A. 1.009%
- B. 100.9%
- C. 0.9%
- D. 9%

26) The sequence below shows the number of trees a nursery plants each year.

2, 8, 32, 128...


Which formula could be used to determine the number of trees the nursery will plant next year, NEXT, if the number of trees planted this year, NOW, is known?

- A. $NEXT = 4 \cdot NOW$
- B. $NEXT = \frac{1}{4} NOW$
- C. $NEXT = 2 \cdot NOW + 4$
- D. $NEXT = NOW + 6$

Geometry

- 27) The vertices of quadrilateral $EFGH$ are $E(-7,3)$, $F(-4,6)$, $G(5,-3)$, and $H(2,-6)$. What kind of quadrilateral is $EFGH$?
- Trapezoid
 - Square
 - Rectangle that is not a square
 - Rhombus that is not a square

- 28) R is the midpoint of segment PS . Q is the midpoint of the segment RS . P is located at $(8,10)$ and S is located at $(12,-6)$. What are the coordinates of Q ?
- $(4, 2)$
 - $(2, -8)$
 - $(11, -2)$
 - $(10, 2)$



- 29) A triangle has vertices at $(1,3)$, $(2, -3)$, and $(-1,1)$. What is the approximate perimeter of the triangle?
- 10
 - 14
 - 15
 - 16


- 30) A line segment has endpoints $J(2,4)$ and $L(6,8)$. The point K is the midpoint of JL . What is an equation of a line perpendicular to JL and passing through K ?
- $y = -x + 10$
 - $y = -x - 10$
 - $y = x + 2$
 - $y = x - 2$

Quadratics


- 31) Which expression is equivalent to $t^2 - 36$?
- $(t - 6)(t - 6)$
 - $(t - 6)(t + 6)$
 - $(t - 12)(t - 3)$
 - $(t - 12)(t + 3)$

- 32) Suppose the equation $V = 20.8x^2 - 458.3x + 3,500$ represents the value of a car from 1964 to 2002. What year did the car have the least value? ($x = 0$ in 1964)
- 1965
 - 1970
 - 1975
 - 1980

- 33) Which is the graph of the function of $f(x) = 4x^2 - 8x + 7$?




- 34) The larger leg of a right triangle is 3cm longer than the smaller leg. The hypotenuse is 6cm longer than the smaller leg. How many centimeters long is the smaller leg?




- 35) The floor of a rectangle cage has a length 4 feet greater than its width, w . James will increase both dimensions of the floor by 2 feet. Which equation represents the new area, N , of the floor of the cage?
- $N = w^2 + 4w$
 - $N = w^2 + 6w$
 - $N = w^2 + 6w + 8$
 - $N = w^2 + 8w + 12$

- 36) The function $f(t) = -5t^2 + 20t + 60$ models the approximate height of an object t seconds after it is launched. How many seconds does it take the object to hit the ground?



37) What is the smallest of 3 consecutive positive integers if the product of the smaller two integers is 5 less than 5 times the largest integer?



Number Sense



38) Alex walked 1 mile in 15 minutes. Sally walked 3,520 yards in 24 minutes. In miles per hour, how much faster did Sally walk than Alex? (Note: 1 mile – 1,760 yards)



39) Energy and mass are related by the formula $E = mc^2$, where m is the mass of the object and c is the speed of light. Which equation finds m , given E and c ?

- A. $m = E - c^2$
- B. $m = Ec^2$
- C. $m = \frac{c^2}{E}$
- D. $m = \frac{E}{c^2}$

40) A school purchases boxes of candy bars. Each box contains 50 candy bars and each box costs \$30. How much does the school have to charge for each candy bar to make a profit of \$10 per box?

- A. \$0.40
- B. \$0.50
- C. \$0.80
- D. \$1.25

41) John mixed cashews and almonds. John bought 4 pounds of almonds for a total cost of \$22. The cost per pound of cashews is 60% more than the cost per pound for almonds. John bought enough cashews that, when he mixed them with almonds, the mixture had a value of \$6.50 per pound. Approximately what percent of the mixture, by weight, was cashews?

- A. 20%
- B. 25%
- C. 30%
- D. 35%

What you need to know about the math exam...

- There are two parts
 - Calculator inactive
 - 6 multiple choice questions
 - 12 gridded response questions
 - Calculator active
 - 42 multiple choice questions
- 60 questions total
- Most people will take 3 hours
- Maximum time without accommodations is 4 hours.